Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Currently Amended) A controlled hydrocarbon permeability multilayer structure comprising at least one inner polymer layer (6, 8) and at least one outer layer (5, 9) comprising a mixture of polymer material and of fillers, characterized in that said fillers are mineral <u>fillers</u> and selected to adsorb and to trap an amount of hydrocarbons discharged through said inner layer so as to reduce the permeability of said structure.
- 2. (Currently Amended) A structure as claimed in claim 1, wherein said adsorbent mineral fillers are selected from the following-group :consisting of zeolite, activated charcoal, carbon nanotubes and mixtures thereof.
- 3. (Currently Amended) A structure as claimed in claim 1, wherein the polymer of the inner and outer layers is selected from <u>the group consisting of</u> polyolefins (PE, PP), polyamides, fluoropolymers, polymer alloys (PE PA), and elastomers.
- 4. (Currently Amended) A structure as claimed in claim 1, wherein the polymer material of the inner layer comprises permeability-reducing fillers of micrometric type, such as tale, metal particles for example, or of nanometric type, such as clays for example.

- 5. (Currently Amended) A structure as claimed in claim 1, wherein another layer-(7) is inserted between the inner layer and the outer layer.
- 6. (Currently Amended) A structure as claimed in claim 1, wherein at least one face is treated, for example by fluorination, to reduce the permeability.
- 7. (Currently Amended) A structure as claimed in claim 1, wherein the structure is made by extrusion, injection, blowing, rotational moulding or compression.
- 8. (Currently Amended) Application of A tank for a motor vehicle comprising the structure as claimed in claim 1 to the manufacture of tanks for motor vehicles.
- 9. (Currently Amended) Application of A fuel line for a motor vehicle comprising the structure as claimed in claim 1-to-the-manufacture of fuel lines for motor vehicles.
- 10. (New) A structure as claimed in claim 2, wherein the polymer of the inner and outer layers comprises PE.
- 11. (New) A structure as claimed in claim 4, wherein the permeability-reducing fillers are selected from the group consisting of talc, metal particles and clays.

- 12. (New) A structure as claimed in claim 5, wherein the another layer is sealing barrier polymer layer comprising EVOH or PA.
- 13. (New) A structure as claimed in claim 6, wherein the at least one face is treated by fluorination.